

GEORGIA TECH

SCHOOL OF MATHEMATICS

MATH 1502K

CALCULUS II, SECTION K

Test # 2

November 8th, 2010

First Name : -----

Last Name : -----

**DO NOT WRITE IN THE TABLE BELOW**

1	
2	
3	
4	
5a 5b 5c 5d 5e	
6a 6b 6c	

**WARNING :**

**Read carefully, read the comments in *italic*, take your time, do not panic and double check what you write.**

**Take the time to write in plain English the criteria or the names of the tests or of the objects you are using to justify your answer.**

**The test will last 50 minutes.**

1. Let  $f\left(\begin{bmatrix} x \\ y \end{bmatrix}\right) = \begin{bmatrix} \frac{x}{\sqrt{x^2-y^2}} \\ \frac{y}{\sqrt{x^2-y^2}} \end{bmatrix}$  and let  $g\left(\begin{bmatrix} r \\ \eta \end{bmatrix}\right) = \begin{bmatrix} r(e^\eta + e^{-\eta})/2 \\ r(e^\eta - e^{-\eta})/2 \end{bmatrix}$ .  
 Compute  $f \circ g$  :

$$f \circ g\left(\begin{bmatrix} r \\ \eta \end{bmatrix}\right) =$$

2. If  $(a, b, c)$  are three real number let  $P(X) = a + bX + cX^2$ . Define  $Q(X)$  by  $Q = X \frac{d^2P}{dX^2} - (1 - X) \frac{dP}{dX} + \lambda P = u + vX + wX^2$ . Then compute the matrix  $A$  transforming  $a, b, c$  into the coefficients  $u, v, w$  of the polynomial  $Q$

*(Write your answer here and use the back page for your calculations)*

$$A = \begin{bmatrix} & & \\ & & \\ & & \end{bmatrix}$$

*(Use this page for your calculations)*

3. Write the matrix of the linear transformation  $g : \mathbb{R}^2 \rightarrow \mathbb{R}^2$  defined as the composition of an anticlockwise rotation of angle  $\pi/5$  followed by a reflection around the line  $L$  making the angle  $7\pi/20$  with the  $Ox$ -axis and  $3\pi/20$  with the  $Oy$ -axis. (*It is advised to draw a picture*)

$$A_g = \begin{bmatrix} & \\ & \end{bmatrix}$$

4. Let  $R$  be the parallelogram with vertices at  $0$ ,  $\mathbf{v}_1$ ,  $\mathbf{v}_2$  and  $\mathbf{v}_1 + \mathbf{v}_2$ , where  $\mathbf{v}_1 = \begin{bmatrix} 1 \\ 1 \end{bmatrix}$  and  $\mathbf{v}_2 = \begin{bmatrix} -1 \\ 1 \end{bmatrix}$ . Compute the image of  $R$  under the linear transformation of matrix  $A = \begin{bmatrix} 2 & -1 \\ -1 & 1 \end{bmatrix}$ .
- (Please draw a picture with the coordinates of the vertices of the image)*

5. Let  $A = \begin{bmatrix} 1 & 2 & 0 & -1 & -2 \\ 0 & 1 & -1 & 2 & -1 \\ 1 & 1 & 1 & -3 & -1 \\ 2 & 1 & 3 & -8 & -1 \end{bmatrix}$ .

- (a) Through row reduction, find a unit lower triangular matrix  $L$  and a reduced matrix  $U$  such that  $A = LU$

(Write your answer here and use the back page for your calculations)

(Hint : express the record matrix as a block matrix in the form  $R = \begin{bmatrix} I & 0 \\ B & I \end{bmatrix}$  where  $I, B$

are  $2 \times 2$  matrices ; check that its inverse is  $\begin{bmatrix} I & 0 \\ -B & I \end{bmatrix}$ .)

$$L = \begin{bmatrix} & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \end{bmatrix}$$

$$U = \begin{bmatrix} & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \end{bmatrix}$$

*(Use this page for your calculations)*



(b) Give an equation for  $\text{Im}(A)$

(c) Give a basis for  $\text{Im}(A)$

(d) Give a basis for  $\text{Ker}(A)$

(e) Compute the distance of the vector  $\mathbf{b} = \begin{bmatrix} 2 \\ 1 \\ -3 \\ 0 \end{bmatrix}$  from  $\text{Im}(A)$

(Hint : since  $\text{Ker}(A) \neq \{0\}$ , replace  $A$  by a suitable matrix  $B$  with  $\text{Im}(A) = \text{Im}(B)$  and  $\text{Ker}(B) = \{0\}$ )

$$\text{dist}\{\mathbf{b}, \text{Im}(A)\} =$$

*(Use this page for your calculations)*

6. Let  $A = \begin{bmatrix} 2 & 1 & -1 \\ 1 & 2 & -1 \\ -1 & -1 & 2 \end{bmatrix}$ .

(a) Compute the inverse of  $A$

*(Write your answer here and use the space below and the back page for your calculations)*

$$A^{-1} = \begin{bmatrix} & & \\ & & \\ & & \end{bmatrix}$$

*(Use this page for your calculations)*

(b) Show that  $A$  is positive definite

(Hint : compute  $\mathbf{x} \cdot A\mathbf{x}$  and write it as a sum of squares, using  $(x + y - z)^2 = x^2 + y^2 + z^2 + 2xy - 2xz - 2yz$ )



(c) Using the Cholesky method, find a lower triangular matrix  $L$  so that  $A = LL^t$ .

*(Write your answer here and use the space below and the back page for your calculations)*

$$L = \begin{bmatrix} & & & \\ & & & \\ & & & \\ & & & \end{bmatrix}$$

*(Use this page for your calculations)*